

Printer

Supported protocols

TCP/IP

Printer model	Note
Canon	
Pro9500	*2
MP980	*2
MP970	
MP960	*2
MP950	*2
MP810	*2
MP800	*2
MP780	*2
MP760	*1
MP750	*2
MP630	*2
MP600	*2
MP600	*2
MP540	*2
MP510	*2
MP500	*2
MP480	*2
MP460	*2
MP450	*2
MP260	*2
MP240	*2
MP190	*2
MP180	*2
MP170	*2
MP160	*2
MP130	
MP110	
MX850	
MX7600	
iP8500	
iP6700D	
iP6600D	
iP6320D	
iP6310D	
iP6220D	
iP6210D	
iP5300	
iP5200	
iP4600	
iP4500	
iP4300	
iP4200	
iP4000	
iP3600	

iP3500	
iP3300	
iP3000	
iP2600	
iP2200	
iP1900	
iP1700	
iP1600	
iP1500	
iP100	
iP90	
i950	
i470D	
Brother	
MFC-8840D	
DELL	
All-in-One Photo Printer 922	
DYMO	
LabelWriter duo	
LabelWriter TwinTurbo	
LabelWriter 400 turbo	
LabelWriter 400	
LabelWriter 330 turbo	
LabelWriter 320	
LabelWriter 310	
HP	
deskjet 5740	
deskjet 5650	
deskjet 5551	
deskjet 948C	
Photosmart 2610	*3, *4, *5

PSC 2450	*3, *4, *5
PSC 2355	*3, *4, *5
PSC 1315	*3, *4, *5
OfficeJet6210	*1, *3
Konica Minolta	
magicolor 2480MF	
Lexmark	
Z810	
X5250	

*1 This model does not support PC fax function.

*2 An image data in a memory card cannot be read through "MP Navigator ", the utility attached to a MFP.

*3 Scanning operation cannot be carried out in the scanning software of the printer attachment CD.

*4 Scan can be carried out in the scanning wizard (WIA) for OS preinstallation.

*5 Scan can be carried out by the TWAIN driver.

Scanner

Supported OS

Windows 2000, Windows XP

Scanner model	Note
CANON CanoScan LiDE500F	
CANON CanoScan LiDE80	
CANON CanoScan LiDE50	
CANON CanoScan LiDE40	
CANON CanoScan 5200F	
CANON CanoScan 5000F	
CANON CanoScan D1250U2	
EPSON GT-9400UF	
EPSON GT-8200U	*1
EPSON GT-7700U	
EPSON GT-7400U	
EPSON GT-F600	
EPSON GT-F550	
EPSON GT-F500	
EPSON GT-X800	
Fujitsu fi-5110EOX2	
Kodak i40 Scanner	
Kodak i30 Scanner	

*1 Please connect by SX Virtual Link after installing a scanner driver and rebooting.

Storage

Supported OS

Windows 2000, Windows XP

	Storage model	Note
Digital camera	Canon IXY DIGITAL 30	*1
	Canon IXY DIGITAL L	
	Fujifilm FinePix F440	
	Panasonic LUMIX DMC-FX7	
	Panasonic LUMIX DMC-F1	

USB memory	BUFFALO ClipDrive RUF-C256M/U2	
	BUFFALO ClipDrive RUF-C32M	
	IO DATA EDP2-512M	*1
	IO DATA EDP-128M Hagiwara SYS-COM HUD-512PJ	*1
Card reader	BUFFALO MCR-C8/U2	
	BUFFALO MCR-8U/U2	
	Panasonic BN-SDCGP3	
	SONY MSAC-US30 TDK U2RW01CMS	
Audio player	Apple iPod 20GB SpecialEdition [M9787J/A]	
HDD	BUFFALO HD-250U2	
	BUFFALO HD-160U2	
	BUFFALO HD-HB250U2	
	BUFFALO HD-PH80U2/BST	
	BUFFALO HD-P80U2/UC	
	BUFFALO HD-P40U2/UC	
	BUFFALO DUB2-B120G	
	DViCO M3000U	
	EPSON P-2000	
	IO DATA HDH-U250S	
	IO DATA HDH-U250	
	IO DATA HDH-U160S	
	IO DATA HDH-U160	
	IO DATA HDA-iU120	
IO DATA HDW-UE320 Logitech LHD-PBH40U2		
DVD-R/RW	BUFFALO DVSM-DH516U2	*2
	BUFFALO DVM-RDH16U2	*2
	IO-DATA DVR-UM16A	*2
	IO-DATA DVR-iUN8WR	*2
	IO-DATA DVR-iUN4 Panasonic LF-P767C	*2 *4
USB HUB	Acros ASC-G	*5
	BUFFALO UHB-S7	*5
	Corega CG-UHUB4P	*5
	ELECOM U2H-K4BSV	*5
	ELECOM U2H-S4SSV	*5
	GreenHouse GH-UHC204BW	*5
	LOAS UH-1104W	*5
	LOAS UH-224SL	*5
	LOAS UH-204GM	*5
	RIX USB-003-BS RIX USB-002-BL	*5 *5
SIGMA SHBH-4SV	*5	
MO	OLYMPUS MO643U1	
FDD	IBM External USB Floppy Disk Drive	
	Sony PCGA-UFD1 TOSHIBA PA2680U	
USB convertor	Lucent solution USB-PTR	*3

*1 An attached utility cannot be used.

*2 It is not suitable for the writing of DVD or movie reproduction for connection by USB2.0 Full-Speed.

*3 Information acquisition of a printer cannot be performed.

*4 A diagnostic tool for bus power that is attached to DVD-R/RW is not available.

*5 If an AC adapter is attached to a USB hub, please use it.

Supported OS

Windows 2000, Windows XP

Smart Card Reader	Note
Reiner SCT cyberJack e-com USB	
Reiner SCT cyberJack pinpad USB	

Smart Card Reader

Supported OS

Windows 2000, Windows XP

RFID Smart Card Reader	Note
Omnikey Cardman 5321CL	